
Annual Report 2009

To order the 2009 annual report please contact:

**Deutsche Forschungsanstalt für
Lebensmittelchemie**

Mrs. A. Stoiber

Lise-Meitner-Strasse 34

D-85354 Freising, Germany

Phone: +49 8161 712928

Fax: +49 8161 712970

Anneliese.Stoiber@lrz.tum.de

Table of Contents

Structure and Bioactivity of Low-Molecular Food Ingredients (Hedonic Value)

- Identification of the Key Aroma Compounds in Red-fleshed Guavas (*Psidium guajava*, L.) by Means of Sensory Tests with Model Solutions Based on the Natural Odorant Concentrations
- Method Development for Detection and Monitoring of Allyl Methyl Sulfide in Human Breath after Garlic Consumption
- Key Odorants in Raw and Processed Garlic
- Comparison of the Key Odorants in Raw and Pan-fried Mushrooms
- Analytical and Sensory Investigation of Aroma Release from Model Dairy Products
- Influence of the Drying Technology on Possible Change in Aroma Compounds of Roasted Coffee
- Influence of Juice Processing on Aroma Compounds in Pineapple Juice
- Investigations on Odour-Active Metabolites in Human Urine after Consumption of Asparagus
- Structure-Odour Relationship among Primary, Secondary and Tertiary Thiols as Compared to the Corresponding Alcohols and Thioethers
- Development of Stable Isotope Dilution Assays for the Quantification of 14 Biogenic Amines in Foods
- Characterisation of Indicator Compounds for the Assessment of the Quality of Raw Cocoa Beans with Respect to Fermentation

Development of Analytical Methods

- Development of a Stable Isotope Dilution Assay for the Accurate Quantification of Peptide-Bound Fructoselysine in High Hydrostatic Pressure Treated β -Casein
- Development of a Solvent for the Complete Extraction of Prolamins from Heated Foods

Correlation between the Chemical Structure and the Physical Properties of Biopolymers

- Effect of Free Air CO₂ Enrichment on the Protein Composition of Wheat

- Distinction of Spelt and Wheat by Using Typical Protein Markers
- Quantification of Glutathione and Cysteine in Spelt and Einkorn Flours
- Rheological Properties of High Pressure Treated Wheat Gluten Supplemented With Reducing Carbohydrates
- Baking Active Glycolipid Extracts from Commercial Lecithins
- Enzymatic Oxidation of Arabinoxylans with Laccases from Edible Mushrooms
- Protein Composition of Rye Dough as Affected by the Addition of Transglutaminase
- Determination of Celiac Disease Specific Peptidase Activity of Different Germinated Cereals

Physiological Effects of Food Ingredients

- Determination of Uptake and Elongation Rate of α -Linolenic Acid in Human LDL-Particles after Single Dose Application of ^{13}C -Labeled Linseed Oil
- Impact of Resveratrol on Insulin Sensitivity and Parameters of Lipid Metabolism in Healthy Rats
- Development of a Quantitative Realtime-PCR Assay for the Determination of DNA-Methylation of Genes Related to Gastric Acid Secretion in HGT-1 cells
- Decrease of Intracellular N $^{\epsilon}$ -Carboxymethyllysine and Enhanced Expression of Heat Shock Proteins after Repeated Mild Heat Treatment in Human Kidney Cells
- Impact of Technological Processing on the Bioavailability of Brokkoli Glucosinolates
- A Four Week Dietary Intake of Dark Roast Coffee Improves the Plasma Antioxidant Status of Healthy Volunteers
- Functional Genomics of Human Olfactory Receptors with Respect to Key Food Odorants
- Impact of Bread Crust as well as Solvent-Extracted Bread Crust on Insulin Sensitivity and Selected Parameters of Behaviour in Healthy Rats

Food Composition Tables

- Bioactive Compounds in Foods: Phytoestrogen Content of Different Foods